

SUBJECT INDEX – VOLUME 75 (2001)

Inorganic and Physical Chemistry

- ab initio calculations, 1483
- activated carbons, 1913
- activation parameters, 689, 965, 1051, 1229, 1729, 1739, 1745, 1775, 1895
- adsorption, 93, 733, 857, 1493, 1561, 1913, 1927, 1947
- bond length, 147, 299, 363, 1939
- catalysis: heterogeneous, 283, 307, 733, 839, 857, 899, 1059, 1513, 1543, 1561, 1801, 1927
 - homogeneous, 869, 875
- charge transfer, 1521, 1603
- classification, 159, 1603
- clay, 307
- colloids, 571
- complexes, 29, 35, 43, 147, 209, 215, 223, 299, 329, 337, 355, 363, 371, 379, 623, 689, 751, 755, 765, 773, 785, 879, 909, 941, 957, 965, 1063, 1067, 1081, 1195, 1203, 1219, 1367, 1387, 1393, 1533, 1591, 1597, 1689, 1695, 1703, 1711, 1781, 1785, 1791, 1817, 1825, 1833, 1887, 1905, 1947
- conducting polymers, 1719, 1745, 1913
- critical phenomena, 481, 557
- crystal structure, 153, 299, 363, 453, 457, 633, 707, 751, 755, 765, 785, 879, 883, 899, 957, 1063, 1067, 1073, 1077, 1209, 1219, 1351, 1361, 1367, 1371, 1381, 1583, 1591, 1695, 1711, 1785, 1791, 1921
- dielectric relaxation, 1505
- diffusion, 501, 1001, 1051
- dipole moment, 707, 845, 1521
- electrical conductivity, 689, 759, 773, 941, 1195, 1229, 1703, 1745, 1817, 1913
- electrode processes, 93, 1719
- environment protection, 1543
- high pressure, 1051, 1921
- hydrides, 1051, 1921
- intermetallic compound, 617
- isotope effect, 115, 527, 889, 1333, 1729, 1921
- kinetics, 79, 93, 105, 293, 571, 579, 699, 869, 949, 1019, 1059, 1229, 1333, 1513, 1729, 1739, 1775, 1801, 1895, 1947
- lattice model, 1, 501, 527, 587
- liquid crystals, 463, 1505
- liquids, 481, 547, 557, 601
- magnetic properties, 29, 215, 223, 299, 329, 355, 379, 773, 785, 795, 941, 957, 1067, 1195, 1203, 1229, 1401, 1417, 1689, 1695, 1703, 1711, 1817, 1825, 1833, 1921
- model, 527, 557, 579, 601
- oscillation, 443
- oxidation, 283, 307, 869, 1019, 1333, 1513, 1905
- periodic system, 159, 1603
- phase diagram, 135, 453, 457, 463, 557, 617, 1077, 1407, 1413, 1553
- phase separation, 517, 547, 579

phase transition, 1, 463, 547, 557, 617
proton transfer, 845, 1745, 1895
quantum calculations, 1039, 1569, 1603
reduction, 307
scaling laws, 587, 601
semiempirical methods, 371, 965, 1483, 1887
simulation, 517, 547, 587
solid state electrochemistry, 135, 1913
stability constants, 127, 345, 623, 905, 1081, 1533, 1887
surfactant, 1
synthesis: complexes, 29, 35, 43, 215, 223, 299, 329, 337, 355, 363, 371, 379, 623, 773, 785, 795, 879,
909, 941, 957, 965, 1063, 1067, 1081, 1195, 1203, 1219, 1387, 1393, 1401, 1591,
1689, 1695, 1703, 1711, 1781, 1817, 1825, 1833
 inorganic compounds, 159, 719, 899, 1921
ternary compounds, 453, 457, 617, 633, 1073, 1077, 1583
thermal analysis, 43, 209, 299, 363, 719, 795, 909, 1209, 1393, 1401, 1407, 1413, 1781, 1927
thermodynamics, 135, 481, 905, 949, 965, 1081, 1341, 1493, 1553, 1767, 1797, 1853, 1887
viscosity, 115, 1505
voltammetry, 209, 699, 1219, 1493, 1597, 1719, 1745, 1753, 1781, 1887, 1913

Organic Chemistry

Biologically active compounds

Bovine β -trypsin inhibitors, 1863
Cyclinopeptide A, 1441
Cytokine inducers, 657
Cysteine protease inhibitors, 831
Flavonoid aglycones from *Scutellaria baicalensis*, 1935
Hepatitis B virus antigen, 813
Human heat shock protein, 70(29-42) fragment, 265
Hydrazinecarbodithioic acid esters, tuberculostatic activity, 1237
Lactarofin B, 1287
Lappaconitine–cyclodextrine complex, 1297
Proctolin analogues, 411
Salsolidine, 1847
Saponin OSW-1 aglycone, 983
Somatostatin analogues, 1877
Sesquiterpene lactones from *Picris evae*, 141
Tryptamine, 5-hydroxy, receptor ligands, 71
Virucides inducers, 657

Complexes, Organic Ligands of

Antipyrine derivatives, Cu(II) complexes, 941
Aza-crown ethers, Ag(I) complexes, 345
Chrysin, Ti(IV), Fe(III), Co(II), Ni(II), Mn(II), and Cu(II) complexes, 795, 1401
Glutaric acid, 3,3-dimethyl, La(III) and Y(III) complexes, 43
Methylsuccinic acid, rare earth metals complexes, 1393
Nicotinamide, Co(II), Ni(II) and Zn(II) complexes, 371
Pentamethylenetetrazole, Co(II), Ni(II), and Cu(II) complexes, 1597
Phenanthroline, 1785
Phthalocyanine, Co(III), 949

- Pyrazoles, Cu(II) complex, 1381
Schiff bases, transition metal complexes, 29, 35
Tributyl phosphite, Cu(II) complexes, 215
- Compounds (synthesis, reactions, and properties of)
- Amines
- Aminoazulenes, 275
 - Benzene, 1,2-diamine, Schiff bases, 35
 - Benothiazole, 2-amino, Schiff bases, 29
 - Dioxotetraamines, metal complexes, 623
 - Diphenylamine, oxidation of, 1019
 - Guanidinium cation, 1839
 - Schiff bases, 29, 35, 79, 1475
- Aminoacids and peptides
- Antamanide, 1869
 - Bovine β -trypsin inhibitors, 1863
 - Cyclolinopeptide A, 1441
 - Cysteine derivatives, 831
 - Isoserinates, 1287
 - Phenylglycine derivatives, 411
 - Octapeptides, 1879
- Aromatics
- Aromatic disulphides, 895
 - Azobenzene, 4-amino, as chromophore group, 241
 - Azobenzenes, 699
 - Azoxybenzenes, 1839
 - Azulene, 275
 - Calixarenes, 921
 - Dihydroxynaphthalene derivatives, 1457
 - Paracyclophanes, 1351
 - Phthalocyanines, 949
 - Propellanes, 1881
- Carboxylic acids and derivatives
- Furan-2,5-dicarboxylic acid esters, 1943
 - Glutaric acid, 3,3-dimethyl, La(III) and Y(III) complexes, 43
 - Hydrazinecarbodithioic acid derivatives, 1237
 - Imidates, 975
 - Lactams, γ - and δ -, activity of, 1277
 - Pyruvates, condensation with phenol, 419
 - Thioamides, 387, 1303
 - Thioesters, 975
- Ethers
- Aza-crown ethers, Ag(I) complexes, 345
 - Crown ethers, 991, 1887, 1947
 - Propellanes, 1881
 - Tetrahydrofuran ring opening, 875
 - Tetraoxacyclophanes, 1247
- Heterocycles
- Azoles, C-phosphorylated, 1137
 - Azoles, nitro, 1474
 - 1,4,2-Benzodithiazine, 1,1-dioxo, 1309
 - Benothiazole, 2-amino, Schiff bases, 29
 - Benzofuranone, 419

- Chromones, 63
Chrysin, Ti(IV), Fe(III), Mn(II) complexes, 795
Coumarin derivatives, 63
Cytisine, 1483
Flavonoid aglycones, 1935
Furan, aminophosphonic acids, 1271
Furan-2,5-dicarboxylic acid esters, 1943
Imidazoles, nitro derivatives, 639, 673, 1661
Isoquinolines, 1317
Nicotinamide, Co(II), Ni(II) and Zn(II) complexes, 371
Oxazolines, 1117
Oxazolones, ring opening, 401
Phthalocyanines, 949
Piperidineethanols, 1361
Pyrazoles, Cu(II) complex, 1381
Pyrazol-5-ones, 1367
Pyrrolicarbothioamides, 1853
Pyrimidines, 1039, 1661
Pyridine, 2,6-diacetyl, Schiff bases, 35
Pyridine, 2,6-dicarboxylates, 957
Pyridinium salts, solvatochromism of, 231
Purines, 1327, 1661
Quinoline, 8-hydroxy, 623
Quinoline, 2-methyl-4-phenyl, formation of, 965
Tetrazoles, 253, 1597, 1869
Tetrazolium salts, 253
Thiazole, 4,5-dihydro derivatives, 387
Thiazolino[2,3-a]isoquinolinone, 1847
Thiophene, aminophosphonic acids, 1271
Triazole, 1,2,4-, 1475
- Macrocycles
Aza-crown ethers, 345, 991
Calixarenes, 921
Chromoionophores, 1457
Cyclophanes, ferrocenylo, 677
Crown ethers from sugars, 683
Phthalocyanines, 949
Tetraoxacyclophanes, 1247
- Nitro compounds
Benzene, 4-cyano-2,6-dinitro, derivatives, 1427
Bis(ethylsulfonyl)methane, 4-nitrophenyl-, 1895
2-Nitropentane, electroreduction of, 93
Nitroimidazoles, 639, 673, 1661
Nitroindazoles, 1465
Nitropyrazoles, 1465
- Nucleosides, nucleotides, nucleic acids
DNA repair enzyme, 1183
Ribozymes, 1807
- Organophosphorus, Organosulfur, Organoselenium, and Organosilicon Compounds
Aminophosphonic acids, 663, 1271
Azoles, C-phosphorylated, 1137
Bis(ethylsulfonyl)methane, 4-nitrophenyl-, 1895
Diselenobisbenzamides, 657

- Diselenobisbutyramides, 657
Ebselen analogues, 823
Phosphonic acid, aminomethyl, 63
Phosphonoamides, cyclic, 1089
Phenylselenosodium, 649
Phenyltellurosodium, 649
Poly(alkylene phosphates), 1171
Thioamides, 1853
Selenophosphates, 1121
Sulfones, chloromethyl, 1465
Thiazolino[2,3-a]isoquinolinone, S-oxide, 1847
Thiophosphates, 1121
Thiocarbamates of monosaccharides, 1303
Sulfenic acid anilides, 895
Thiaphosphacyclanes, 1103
Tributyl phosphite, Cu(II) complexes, 215
- Sugars
Carbohydrates, dithioacarbonic acid esters, 49
Carbohydrates, anomeric hydroxyl group replacement, 803
Cyclodextrin - lappaconitine complex, 1297
Monosaccharides, thiocarbamates of, 1303
Sucrose, 683
Sweetness of saccharides, 1569
- Terpenes
Carvone, 55
Lactarorufin B, 1287
Ritter reaction of terpenes, 55
Sesquiterpenes from *Picris euae*, 141
Sesquiterpenes from *Taraxacum bicorne*, 1587
Taraxastane-type triterpenoid, 141
- Mechanisms
Bis(ethylsulfonyl)methane, 4-nitrophenyl-, proton abstraction, 1895
Cine-substitution in nitroimidazoles, 639, 673
Methyl transfer in methylcobalt(III) phthalocyanine, 949
Quinoline formation, semiempirical calculation, 965
Ring opening in oxazolones, 401
Ring opening of tetrahydrofuran, 875
Sigmatropic rearrangements, 649
- Organic Spectroscopy
CD spectroscopy
Cyclolinopeptide A, 1441
EPR studies of
Antipyrine derivatives, Cu(II) complexes, 773, 941
NMR studies
³¹P, solid state, 1147
Mass spectrometry of
4-Iminopentan-2-ones, tautomerism of, 429
- Reactions and Processes
Diphenylamine oxidation, 1019
Hydrogen transfer over magnesia, 1059

4-Iminopentan-2-ones, tautomerism of, 429
Reduction of ketones, 1059
Ritter reaction of terpenes, 55
Vicarious nucleophilic substitution, 275, 1465, 1661

Reviews

Azoles, C-phosphorylated, 1137
Calixarenes, 921
DNA repair enzyme, 1183
³¹P, solid state, 1147
Phosphonoamides, cyclic, 1089
Poly(alkylene phosphates), 1171
Purines, from nitroimidazoles, 1661
Ribozymes, 1807
Selenophosphates, 1121
Thiophosphacyclanes, 1103
Thiophosphates, 1121

Structure Activity Relationship

Sweetness of saccharides, 1569

Theoretical Studies

Cytisine, 1483
β-Lactams, activity of, 1277
Quinoline formation, semiempirical calculation, 965

X-ray Crystal Structures

Aza-crown ethers, 991
Bis(2-aminoethyl)sulfide, Cu(II) complex, 1063
N,N-Bispropyldithiocarbamate bis(triphenylphosphine) Cu(I) complex, 755
Chroman-2-carboxylic acid derivatives, 883
Ethylenediamine-thiocyanato Ni(II) complex, 1067
Hydrazinecarbodithioic acid, derivatives, 1237
1-Phenylimidazole derivatives, 641
Hydrazinecarbodithioic acid esters, 1237
Paracyclophanes, 1351
Piperidineethanols, 1361
Pyrazol-5-ones, Zn(II) complex, 1367
Pyrazole, 1-phenyl, Cu(II) complex, 1381
Schiff bases, 1375
Tetraoxacyclophanes, 1247